## **Datacomm ITS**

## CADDY® CABLECAT Wide Base Cable Support Clips

Sizing Chart

2" DIAMETER LOOP

cULus Listed Cable Support

PART Number	FIG. NO.		QTY. PER BOX
Pre-Riveted Factory Assemblies For 2" Diameter Loop			
CAT32BC	8	Screw-on 1/8" thru 1/2" flange	40
CAT32BC200	9	Screw-on 1/8" thru 5/8" flange	20
CAT32ESC	10	Easy Strut Clip	40
CAT3224SM	11	Hammer-on 1/8" thru 1/4" flange	40
CAT3258SM	11	Hammer-on 5/16" thru 1/2" flange	40
CAT32912SM	11	Hammer-on 1/2" thru 3/4" flange	40
CAT3224	12	Hammer-on 1/8" thru 1/4" flange - rotates 360°	20
CAT3258	12	Hammer-on 5/16" thru 1/2" flange – rotates 360°	20
CAT32912	12	Hammer-on 1/2" thru 3/4" flange - rotates 360°	20
CAT32VF14	13	1/16" thru 1/4" vertical flange	40
CAT32AF14	14	1/16" thru 1/4" Z purlin	40
CAT324Z34	15	#12 thru 1/4" wire, plain or threaded rod	
		and 1/8" thru 3/8" flange	40
CAT326Z34	15	3/8" plain or threaded rod and 3/8" thru 9/16" flange	40
CAT32AB	16	Angle Bracket Assembly - 1/4" mounting hole	40
CAT32AFAB3	17	Angle Bracket Assembly - 3/16" mounting hole	40
CAT32AFAB4	17	Angle Bracket Assembly - 1/4" mounting hole	40
CAT32AFAB6	17	Angle Bracket Assembly - 3/8" mounting hole	40
CAT32BCB	18	Screw-on 1/8" thru 1/2" flange rotates 360°	20
CAT32BC200B	19	Screw-on 1/8" thru 5/8" flange rotates 360°	20
CAT32CD1B	21	Under floor support to pedestal	20






Fig. 18

## **Datacomm ITS**


CADDY® CABLECAT
Wide Base Cable Support

**Features** 

- Provides proper support of Category 5, Category 6, fiber optic and innerduct.
- Many sizes and designs available to attach to a variety of structures.
- Cost effective alternative to expensive cable tray.
- Galvanized finish on J-hooks provide smoother cable pull and greater corrosion resistance.
- Complies with UL®, cUL®, NEC® and EIA/TIASM requirements for structured cabling systems.

PATENT # 5,740,994












Fig. 3

