

# XAP-1410

## WHAT THIS PRODUCT DOES:

Combining high output power and leading-edge 802.11ac 2x2 Dual-Band technology with 5GHz Beamforming, the XAP-1410 delivers data rates up to 1200Mbps along with outstanding wireless coverage for a world-class Wi-Fi experience. The sleek design allows for unobtrusive mounting on a ceiling, wall or other flat surface—making it a great choice for maximizing coverage in both Residential and Commercial environments. It is compatible with the XWC-1000 Wireless Controller and can be used standalone or as part of a multi-AP deployment. Installation is simple, requiring only a single Ethernet cable that delivers both power and data through the integrated PoE+ port.

- ▶ High Performance 802.11ac Wi-Fi (up to 1200Mbps)
- ▶ Concurrent Dual-Band
- ▶ Beamforming for Optimal Wi-Fi Performance
- ▶ Compatible with XWC-1000 Wireless Controller
- ▶ Great for Streaming Media and Other Demanding Applications
- ▶ Secure Guest Networking
- ▶ Simple and Discreet Installation

## FEATURES:

- ▶ High Output Power for Maximum Coverage
- ▶ Data Transfers of up to 1200Mbps
- ▶ Concurrent Dual-Band (2.4 GHz and 5GHz)
- ▶ Beamforming Technology
- ▶ Compatible with the Luxul XWC-1000 Wireless Controller
- ▶ VLAN Support for Creating a Secure Guest Network
- ▶ Up to 4 SSIDs per Band (8 Total)
- ▶ Single-Cable Installation with PoE (Injector included)
- ▶ Installs on Ceiling or Wall; Or Use as a Desktop AP
- ▶ Three-Year Limited Warranty

## High Power AC1200 Dual-Band Wireless AP



### XAP-1410 TECHNICAL SPECIFICATIONS

Hardware Features	
<b>Standards Compliance</b>	IEEE, 802.11b/g/n, 802.11a/n/ac, 802.3at
<b>Interface</b>	One 10/100/1000M Port
<b>Antenna</b>	Two Dual-Band Antennas
<b>Button</b>	Reset button
<b>Power</b>	PoE (Injector Included)
<b>Power Consumption</b>	7W Idle /20W Peak
<b>Environment Temperatures</b>	0-40C°
<b>Dimensions WxHxD in. (mm)</b>	6.5"x6.5"x1.75" (165.10 x165.10 x44.45)
<b>Weight lbs (kg)</b>	1.25 (0.567)
<b>LEDs</b>	Power, 2.4GHz, 5GHz (Can be turned Off/On Via User Interface)
Wireless and Other Features	
<b>Frequency</b>	Concurrent 2.4GHz and 5GHz
<b>Wireless Speed</b>	<ul style="list-style-type: none"> <li>▶ 2.4GHz: 300Mbps;</li> <li>▶ 5GHz: 867Mbps</li> </ul>
<b>Wireless Security</b>	WPA/WPA2, AES and TKIP
<b>Operating Modes</b>	Wireless AP
<b>Other Functions and Features</b>	<ul style="list-style-type: none"> <li>▶ Remote Web Management</li> <li>▶ System Logging</li> <li>▶ Backup &amp; Restore Configurations</li> <li>▶ VLAN/Guest Network Support</li> <li>▶ Up to 4 SSIDs per Band for a total of 8 SSIDs</li> <li>▶ Firmware Upgradeable via UI</li> <li>▶ XWC-1000 Wireless Controller Compatible</li> </ul>
<b>Certifications</b>	CE, FCC, RoHS

### Warranty:

- ▶ Three Year Limited Warranty

### Minimum Requirements

- ▶ Web Browser
- ▶ Ethernet Cable
- ▶ Internet Connection to View Documentation Online

### Package Contents

- ▶ One: High Power AC1200 Dual-Band AP
- ▶ One: Mounting Bracket and Hardware
- ▶ One: PoE Injector and Power Adapter
- ▶ One: Quick Install Guide

All references to speed are for comparison purposes only. Product specifications, size and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.